

HEAVY DUTY RESCUE TRUCK INSPECTION AND EQUIPMENT LIST
MINIMUM REQUIRED EQUIPMENT

DATE: _____

TOTAL POINTS THIS SECTION: _____

TIME: _____

SQUAD NAME: _____

VEHICLE WEIGHT: _____ POUNDS (19,501 POUNDS OR OVER)

CURRENT WEIGHT CERTIFICATE REQUIRED

INSPECTION

- _____ CURRENT STATE INSPECTION STICKER
 _____ CURRENT EMT CARD (EACH PERSON, EXCEPT DRIVER)
 _____ CURRENT VIRGINIA DRIVER'S LICENSE (DRIVER ONLY)
 _____ EVOC OR DEFENSIVE DRIVER CERTIFICATION (DRIVER ONLY)
 _____ CURRENT LICENSE PLATES OR PERMIT (AT LEAST POSTED ON REAR)
- _____ ENGINE OIL LEVEL
 _____ RADIATOR LEVEL (WITHIN 1" OF TOP) OR CORRECT LEVEL IN RESERVOIR TANK
- _____ TIRE CONDITION – GOOD
- _____ BATTERY LEVEL
 _____ BATTERY POSTS – CLEAN
 _____ FAN BELTS – CONDITION – GOOD
 _____ WIRING HARNESS – CONDITION – GOOD – SECURE
- _____ OVERALL CONDITION OF ENGINE COMPARTMENT – CLEAN – GOOD
- _____ HEAD LIGHTS HIGH AND LOW BEAM
 _____ CLEARANCE LIGHTS (EXTERIOR) (IF REQUIRED)
 _____ TURN SIGNAL LIGHTS FRONT AND REAR
 _____ 4 WAY FLASHER
 _____ BACK UP WARNING SIGNAL
- _____ WARNING LIGHTS (EMERGENCY)
- _____ CAB LIGHT (INTERIOR DOME)
 _____ MAP LIGHT (IN ADDITION TO DOME)
 _____ FLOOD LIGHTS 110 VOLT FRONT, SIDE, REAR (FIXED) (AT LEAST 4 MOUNTED LIGHTS)
 _____ INTERIOR BODY LIGHTS
 _____ COMPARTMENT LIGHTS
 _____ SPOTLIGHT – 1 (HAND HELD OR MOUNTED)
- _____ SPARE FUSES FOR LIGHTING/ELECTRICAL SYSTEMS (ASSORTED AMPS)
- _____ SIREN-ELECTRIC OR ELECTRONIC
 _____ HORN (ELECTRIC OR AIR)
 _____ FLOOR SIREN SWITCH OR HORN RING SWITCH

REVISED 4/2008

HEAVY DUTY RESCUE TRUCK INSPECTION AND EQUIPMENT LIST

_____ CLEANLINESS AND CONDITION OF ALL GLASS AND MIRRORS INCLUDING ALL LIGHTS
 _____ FUEL TANK ABOVE THE ¾ FULL MARK (EXCEPT -CREDIT TO BE GIVEN IF UNIT HAS BEEN
 ON DISPLAY INSIDE CONVENTION CENTER)

_____ SEAT BELTS – CAB COMPARTMENT (2 SETS)
 _____ SEAT BELTS – CREW COMPARTMENT (1 SET FOR EACH SEAT)

EQUIPMENT

****NOTE**** NO CREDIT GIVEN FOR LESS THAN QUANTITY SPECIFIED

_____ FIRST AID KITS (MINIMUM 4)
 _____ HAND-HELD, BAG-MASK VENTILATING UNIT
 _____ COMBINATION AIRWAY AND RESUSCITATION TUBES
 _____ SELF-CONTAINED SUCTION UNIT (PORTABLE)
 _____ OROPHARYNGEAL AIRWAYS (ASSORTED SIZES) (MINIMUM 6)

_____ MULTI-TRAUMA DRESSINGS (MINIMUM 8)

_____ SELF-ADHERING BANDAGES (BAND-AIDS) (MINIMUM 30)

_____ TRIANGULAR BANDAGES (MINIMUM 40)

_____ GAUZE PADS – 4” X 4” (MINIMUM 40)

_____ SIX TOWELS

_____ ADHESIVE TAPE (4 ROLLS)

_____ OCCLUSIVE DRESSING (ALUMINUM FOIL OR PLASTIC WRAP)

_____ CERVICAL COLLARS (EXTRICATION TYPE) – (MINIMUM 6)

_____ SPHYGMOMANOMETER (DIAL TYPE)
 _____ STETHOSCOPE

_____ FLASHLIGHT

_____ BANDAGE SCISSORS – (5 ½” MINIMUM)

_____ PORTABLE OXYGEN UNIT (WITH ASSORTED MASKS)

_____ 8 BLANKETS (1/2 OF QUANTITY MAY BE DISPOSABLE)

_____ DISPOSABLE OBSTETRICS KIT

_____ TRACTION SPLINTS – D RING WITH HEEL STAND OR HARE – (MINIMUM 2)
 _____ BOARD SPLINTS – 4 EACH 15-24”; 4 EACH 36-54”
 _____ 2 SHORT SPINE OR EQUIVALENT
 _____ FULL BACK BOARD OR EQUIVALENT (MINIMUM 3)

_____ BASKET STRETCHER

_____ 4 DISASTER POUCHES (BODY BAGS)

REVISED 4/2008

HEAVY DUTY RESCUE TRUCK INSPECTION AND EQUIPMENT LIST

- _____ AIRCRAFT SNIPS
- _____ COLD CHISEL SET
- _____ CLAW HAMMER
- _____ MACHINIST HAMMER
- _____ SHORT-HANDLED SLEDGE HAMMER (2 ½ POUND MINIMUM)
- _____ LINOLEUM KNIFE

- _____ BATTERY PLIERS
- _____ CHANNEL LOCKING PLIERS
- _____ DIAGONAL-CUTTING PLIERS
- _____ NEEDLE-NOSED PLIERS
- _____ SLIP-JOINT PLIERS
- _____ VISE-GRIP PLIERS

- _____ LUMBER CRAYONS

- _____ PHILLIPS SCREW DRIVERS – ASSORTED (MINIMUM 3)
- _____ STRAIGHT BLADE SCREW DRIVERS – ASSORTED (MINIMUM 3)

- _____ 6 FOOT RULE
- _____ 50 FOOT MEASURING TAPE
- _____ 2 PICKS
- _____ 2 SHOVELS
- _____ 4 DEBRIS BUCKETS

- _____ HOLD FAST PICKETS (MINIMUM 6)

- _____ 2 REGULAR FRAME HACKSAW WITH 6 EXTRA BLADES
- _____ CARPENTER'S HANDSAW
- _____ TREE SAW

- _____ ADJUSTABLE WRENCH – ASSORTED SIZES (MINIMUM 3)
- _____ PIPE WRENCH – ASSORTED SIZES (MINIMUM 3)
- _____ ASSORTED OPEN-END WRENCHES
- _____ ASSORTED SOCKET WRENCHES

- _____ CRASH AXE
- _____ FLAT HEAD, PICK-HEAD OR RESCUE TYPE AXE

- _____ BOLT CUTTER (18 INCH)
- _____ BOLT CUTTER (36 INCH)
- _____ 2 PRY BARS – (48 TO 60 INCHES)
- _____ 2 WRECKING BARS (24 INCH MINIMUM)
- _____ 2 SLEDGE HAMMERS (8 POUND MINIMUM)

- _____ CHAIN SAW
- _____ RECIPROCATING-TYPE POWER HACKSAW WITH ASSORTED BLADES
- _____ AIR OR ELECTRIC CUTTING GUN KIT

- _____ SAFETY FLARES – 24
- _____ TRAFFIC CONTROL FLASHLIGHTS – 4
- _____ 1 – 15 POUND CARBON DIOXIDE FIRE EXTINGUISHER – MUST HAVE CURRENT INSPECTION TAG AND SEAL
- _____ 2 – 20 POUND DRY-CHEMICAL EXTINGUISHER (OR EQUIVALENT) MUST HAVE CURRENT INSPECTION TAG AND SEAL

HEAVY DUTY RESCUE TRUCK INSPECTION AND EQUIPMENT LIST

- _____ NON-SPARKING HAMMER
 _____ WOOD AND/OR RUBBER CONE-SHAPED PLUGS

 _____ STEP CRIBBING MIN. 2" X 6" WITH 6 INCH STEPS LENGTH MIN. 18 INCHES OR ANY
 COMPARABLE COMMERCIALLY MANUFACTURED STEP CRIBBING WITH CAPACITY
 STATEMENT MOLDED IN OR A MANUFACTURE SPECIFICATION SHEET (**OPTIONAL**)
 _____ 4 PIECES OF 4 X 4 X 48 INCH LONG CRIBBING OR MANUFACTURED CRIBBING WITH
 CAPACITY STATEMENT MOLDED IN OR MANUFACTURE SPECIFICATION SHEET
 _____ 16 PIECES 4 X 4 X 18 INCH LONG CRIBBING OR MANUFACTURED CRIBBING WITH
 CAPACITY STATEMENT MOLDED IN OR MANUFACTURE SPECIFICATION SHEET.
 _____ 16 WOODEN WEDGES OR MANUFACTURED CRIBBING WITH CAPACITY STATEMENT
 MOLDED IN OR MANUFACTURE SPECIFICATION SHEET
 _____ 16 PIECES OF 2 X 4 X 18 INCH LONG CRIBBING OR MANUFACTURED CRIBBING WITH
 CAPACITY STATEMENT MOLDED IN OR MANUFACTURE SPECIFICATION SHEET

 _____ ELECTRIC GENERATOR – (MINIMUM 5 KILOWATT)
 _____ 500 FOOT (MINIMUM) POWER CORD
 _____ POWER DISTRIBUTION BOX
 _____ ASSORTED ADAPTERS
 _____ 110 VOLT PORTABLE FLOODLIGHTS, (6 MINIMUM) (MINIMUM 500 WATTS EACH)
 _____ BATTERY OPERATED HAND LIGHTS (MINIMUM 8)

 _____ SAFETY VESTS (6)
 _____ SAFETY HELMETS – (6)
 _____ SAFETY GOGGLES OR APPROVED SAFETY GLASSES – (6 PAIR)
 _____ GLOVES – (6 PAIR)
 _____ TURNOUT COAT – (OR OTHER PROTECTIVE CLOTHING) (6 SETS) * **OPTIONAL** *
 _____ BOOTS – (6 PAIR)
 _____ DRINKING WATER
 _____ SELF-CONTAINED, PRESSURE DEMAND-REGULATOR BREATHING APPARATUS –
 (4 MINIMUM) * **OPTIONAL** *
 _____ SPARE COMPRESSED AIR CYLINDERS – (MINIMUM 4)
 _____ FIRE BLANKETS – (2 MINIMUM) (NO ASBETOS ALLOWED)
 _____ CABLE OR CHAIN COME-ALONG – 2 (2 TON RATED MINIMUM)
 _____ 2 – 15 FOOT CHAINS WITH HOOKS (6 TON RATED)

 _____ 2 LIFE BELTS (MANUFACTURED OR RESCUE WEBBING)
 _____ ROPE – 400' X ½" MANILLA OR EQUIVALENT AND 400' X ¾" MANILLA OR EQUIVALENT

 _____ 2 – 10 TON MINIMUM CAPACITY HYDRAULIC RESCUE TOOL KITS (I.E., PORT-A-POWER)
 _____ HURST RESCUE TOOL OR EQUIVALENT
 _____ 6 – 5 TON JACKS, ANY TYPE, OR AIR BAGS

 _____ GASOLINE STORAGE CANS – (2 MINIMUM) **NOT REQUIRED WITH ALL ELECTRICAL
 TOOLS AND PERMANENT MOUNT GENERATOR**
 _____ MOBILE RADIO TRANSCEIVER
 _____ PORTABLE RADIO TRANSCEIVER
 _____ 1 LADDER EXTENSION TYPE (MINIMUM 20 FOOT)
 _____ 1 TRUCK MOUNTED WINCH (12,000 POUNDS MINIMUM)
 _____ WHEEL CHOCKS (MINIMUM 2)
TOTAL **(RECORD HERE AND ON FRONT PAGE ALL ITEMS COUNT 1 POINT)**

REVISED 4/2008